

## Seminole County Public Schools School Impact Analysis School Capacity Determination

(Non-Binding)

To: Helen Ford, Mestdagh, Wall & Hamilton <a href="mailto:helen@m-wlawfirm.com">helen@m-wlawfirm.com</a>

Matthew Davidson, Seminole County Planning

From: Richard LeBlanc, AIA, Director, Facilities Planning, Seminole County Public Schools

Date: January 8, 2021

RE: RIVERSIDE OAKS – PHASE 4

Seminole County Public Schools (SCPS), in reviewing the above request, has determined that if approved, the new FLUM designation and/or zoning will have the effect of increasing residential density, and as a result generate additional school age children.

Description: Proposed Rezone from A1 to PD of +/-22.5 acres located at 3560 Celery Ave, Sanford FL 32771 within the jurisdiction of the Seminole County, FL. The applicant is requesting a change to the FLU and zoning designations to allow a maximum of 62 Single Family Detached residential units, to be developed within the proposed land use and zoning designations.

Parcel ID (s) #: 28-19-31-300-0180-0000

This review and evaluation is performed on proposed future land use changes and rezones, unplatted parcels, or projects that have not received final entitlement approval. This evaluation does not guarantee that the developments subject to this declaration are exempt from, or determined to meet the school concurrency requirements effective as of January 1, 2008. Changes in enrollment, capacity, any newly platted developments, and any subsequent final development approvals may affect the provision of concurrent school facilities at the point of final subdivision approval, including the potential of not meeting statutory concurrency requirements based on future conditions.

Based on information received from the jurisdiction and the application for the request, SCPS staff has summarized the potential school enrollment impacts in the following tables:

## **CSA Capacity**

DEVELOPMENT IMPACT ON STUDENT GENERATION BY CSA							
AFFECTED CSAs	CSA E-10	CSA M-1	CSA H-1				
CAPACITY	2,808	5,894	8,627				
3-YEAR PROGRAM CAPACITY	-	-	150				
ENROLLMENT	2,057	4,875	7,724				
AVAILABLE CAPACITY	751	1,019	1,053				
SCALD RESERVATIONS TO DATE	380	411	534				
SIA - RIVERSIDE OAKS - PHASE 4 (see							
SCALD 2018-18)	11	6	9				
REMAINING CAPACITY	<b>360</b>	<b>6</b> 02	<b>510</b>				

## **Comments CSA Evaluation:**

At this point, the students generated at the three CSA levels would be able to be accommodated without exceeding the adopted levels of service (LOS) for each CSA by school type, or there is adjacent capacity to meet LOS as allowed by interlocal agreement. Any planned expansions/additions in the current five-year capital plan would provide additional student capacity to relieve the affected schools is reflected in this review.

**Zoned School Enrollment:** For informational purposes, the below table indicates the analysis based on the individual school zones within the CSA under current conditions. At this point, the potential students generated would be able to be accommodated without exceeding the adopted Levels of Service (LOS) for the currently zoned schools. Any planned expansions/additions that would provide additional student capacity contained in the current five-year capital plan and scheduled to be completed within the next three years are included in this review.

	ZONED SCHOOL				
ELEMENTARY SCHOOLS	Region 3	Pinecrest	Hamilton	Midway	CSA E-10
CAPACITY	-	908	794	1,106	2,808
3-YEAR PROGRAM CAPACITY	-	-	-	-	-
ENROLLMENT	-	636	623	798	2,057
AVAILABLE CAPACITY	-	272	171	308	751
SCALD RESERVATIONS TO DATE	380	-	-	-	380
SIA - RIVERSIDE OAKS - PHASE 4 (see SCALD 2018-18)	11	-	-	-	11
REMAINING CAPACITY	<b>(391)</b>	<ul><li>272</li></ul>	<ul><li>171</li></ul>	<ul><li>308</li></ul>	360
	ZONED SCHOOL				
MIDDLE SCHOOLS		Greenwds Lakes		Sanford	CSA M-1
CAPACITY	1,743	1,266	1,260	1,625	5,894
3-YEAR PROGRAM CAPACITY		-			-
ENROLLMENT	1,403	998	1,051	1,423	4,875
AVAILABLE CAPACITY	340	268	209	202	1,019
SCALD RESERVATIONS TO DATE	160	35	48	168	411
SIA - RIVERSIDE OAKS - PHASE 4 (see SCALD 2018-18)	6	-			6
REMAINING CAPACITY	<b>⊘</b> 174	<b>⊘</b> 233	161	<u>0</u> 34	602
	ZONED SCHOOL				
HIGH SCHOOLS	Seminole	Lake Mary	Crooms		CSA H-1
CAPACITY	4,868	2,948	811		8,627
3-YEAR PROGRAM CAPACITY	-	-	150		150
ENROLLMENT	4,303	2,681	740		7,724
AVAILABLE CAPACITY	565	267	221	-	1,053
SCALD RESERVATIONS TO DATE	517	17			534
SIA - RIVERSIDE OAKS - PHASE 4 (see SCALD 2018-18)	9	-			9
REMAINING CAPACITY	<u>0</u> 39	<ul><li>250</li></ul>			- <b>⊘</b> 510

## **Terms and Definitions:**

**Capacity:** The amount of satisfactory permanent student stations as calculated on the date of the second FDOE count in October of the current school year. The number of students that can be <u>satisfactorily</u> accommodated in a room at any given time and which, is typically a lesser <u>percentage</u> of the total number of student stations. NOTE: Capacity is **ONLY** a measure of student stations, not of enrollment.

Concurrency Service Area (CSA): A geographic unit promulgated by the School Board and adopted by local governments within which the level of service is measured when an application for residential development is reviewed for school concurrency purposes. The CSA listed represents the area that the capacity is considered and student assignment may be in a CSA adjacent to the project.

**Enrollment:** For the purposes of concurrency review, the enrollment level is established each year as per Public School Interlocal Agreement Section 12.4 A, which sets the level on the date of the second full time equivalent (FTE) survey for FDOE, generally taken in mid-October.

**Programmed 3 Year Additions:** New permanent school capacity within the CSA, which will be in place or under actual construction within the first three years of the current SCPS Capital Improvement Plan.

**Remaining Capacity:** The capacity available for future development after the addition of any programmed capacity and less the reserved capacity.

**Reserved Capacity:** The total number of student stations reserved in the respective CSA's that are assigned to projects via a SCALD certificate.

**School Size:** For planning purposes, each public school district must determine the <u>maximum</u> size of <u>future</u> elementary, middle and high schools. Existing school size is determined solely through FISH data. Seminole County Public Schools has established the sizes of future schools (with the exception of special centers and magnet schools) as follows:

i) Elementary: 780 student stationsii) Middle: 1500 student stationsiii) High: 2,800 student stations

**School Attendance Zone**: The established geographic area that identifies school assignments pursuant to Board Policy for each District school or region of schools, other than county wide magnet schools. Students shall attend the school(s) serving their residential or regional attendance zone unless otherwise permitted by Board Policy

**Students Generated by Project:** is determined by applying the current SCPS student generation rate (calculated in the 2017 Impact Fee Study) to the number and type of units proposed. The number of units is determined using information provided by the jurisdiction and/or from the applicant's request. If no actual unit count is provided the unit count is then estimated based on the maximum allowable density under the existing/proposed future land use designation. **Eventual Student assignment may not be to the school in closest proximity to the proposed residential development.** 

**Utilization**: A State Board Rule prescribed percentage of student stations that a room (and proportionately, a school and school district) can <u>satisfactorily</u> accommodate at any given time. From a school/campus analysis perspective, "utilization" is determined as the percentage of school enrollment to capacity. Current DOE established K-12 utilization factors are as follows:

Elementary 100%, Middle 90%, High 95%